

Title			
MSD308BTM			
Size	Document Number		Rev
Custom	Change list		1.0
Date:	Thursday, August 21, 2014	Sheet	1 of 10

5

4

3

2


1

D

C

B

A





D

C

B

A


5

4

3


2

1





0


1.15V 3A for VDDC





1.5V Power for DDR3



3.3V Normal Power



2.5V Normal Power for ADC




File			
MSD308BTM			
Size	Document Number	Rev	
Custom	Change list	1.0	
Date:	Thursday, August 21, 2014	Sheet	3 of 10

[illegible][illegible][illegible]

$R21$ 10k
 $R22$ 10k
 $R23$ 20k
 $R24$ 10k
 $M1$ 2N7000P
 $XTAL1$
 $XTAL0$

[illegible][illegible]



Title		
MSD308BTM		
Size	Document Number	Rev
Custom	Change list	1.0
Date:	Thursday, August 21, 2014	Sheet 5 of 10





D

C




B

A

PCM CIA




CARD DETECT







PCM_CD1_N	PCM_CD2_N	PCM_CD_N
GND	GND	L 0V
GND	NC	H 2.5V
NC	GND	H 2.5V
NC	NC	H 5V


Title				
MSD308BTM				
Size B	Document Number			Rev 1.0
	Change list			
Date:	Thursday, August 21, 2014	Sheet	6 of 10	






为了软件的声音曲线一致：
当位号UD3器件为 9108 时，RD21=10K，
当位号UD3器件为 3113 时，RD21=NC。




File			
MSD308BTM			
Size	Document Number	Rev	
Custom	Change list	1.0	
Date:	Thursday, August 21, 2014	Sheet	7 of 10







VGA INPUT




DVD



AV OUT




SCART




USB Interface

AV



YPbPr




SPDIF Output




VIDEO OUT OP




AUDIO OP




HDMI2




HDMI1



CEC & ARC



OP Power



DVD Power

